

Agility® SG Herbicide With TotalSol® Soluble Granules

Get the most out of your weed control program.

Agility® SG herbicide delivers:

- Selective postemergence broadleaf weed control in wheat, barley, triticale and fallow.
- Four active ingredients with two modes of action in a single-product formulation.
- Just one product to measure, saving time and reducing the risk of measuring errors.
- Kochia control including resistant varieties for a faster harvest and less dockage.
- Control of prickly lettuce, pigweed, common cocklebur, common ragweed, lambsquarters, common sunflower, wild mustard, Russian thistle, wild buckwheat, Canada thistle and more than 70 other tough broadleaf weeds.
- More consistent control of broadleaf weeds under a wider variety of environmental conditions compared with dry flowable suspensions with the same active ingredients.

RATE RECOMMENDATION

Agility SG herbicide 1.6–3.2 oz./A

- Use 3.2 oz./A for heavy infestation of the weeds listed under Weeds Partially Controlled or when application timing and environmental conditions are marginal.
- Use 1.6 to 2.4 oz./A for light infestation of the weeds listed under Weeds Controlled.

Application information

May be applied by ground or air.

- Can be used in a tank mix with a variety of grass and broadleaf weed herbicides.
- Can be tank mixed with most pesticides labeled for use in cereal grain production.
- Always include a spray adjuvant with applications of Agility SG herbicide. Performance is optimized by the addition of non-ionic surfactants and other spray adjuvants.

Note: Only clean water should be used in preparing Agility SG herbicide spray solutions. Any tank-mix partners and adjuvants should be added to the spray tank only after the Agility SG herbicide granules have fully dissolved.



Weeds controlled by Agility® SG herbicide

Annual knawel	Cowcockle	Plains coreopsis
Annual sowthistle	Cress (mouse-ear)	Prickly lettuce*
Black mustard	Curly dock	Redmaids
Black nightshade	Cutleaf evening primrose	Russian thistle*
Blue/purple mustard*	False chamomile	Scentless chamomile/mayweed
Broadleaf dock	Field chickweed	Shepherd's purse
Buckwheat (tartary, wild)	Field pennycress (fanweed)	Smallflower buttercup
Bur buttercup (testiculate)	Filaree (redstem, Texas)	Small seed false flax
Bushy wallflower/treacle mustard	Flixweed*	Smartweed (green, ladysthumb, pale)
Canada thistle*	Groundsel (common)	Snow speedwell
Carolina geranium	Henbit	Sticky chickweed
Clasping pepperweed	Knawel (German moss)	Stinking mayweed/dogfennel
Coast fiddleneck (tarweed)	Knotweed (prostrate)	Swinecress
Common buckwheat	Kochia*	Tansy mustard
Common chickweed	Lady's thumb	Tarweed fiddleneck
Common cocklebur	Lambsquarter (common, slimleaf)	Tumble/Jim Hill mustard
Common mallow	London rocket	Velvetleaf
Common purslane	Marshelder	Volunteer lentils
Common radish	Mayweed, chamomile	Volunteer peas
Common ragweed	Miner's lettuce	Volunteer sunflower
Common sunflower	Narrowleaf lambsquarters	Waterpod
Conical catchfly	Nightflowering catchfly	Wild buckwheat
Corn chamomile	Pennsylvania smartweed	Wild chamomile
Corn cockle	Pigweed (prostrate, redroot, rough, smooth, tumble)	Wild garlic*
Corn gromwell*	Pineapple weed	Wild mustard
Corn spurry		Wild radish*

Weeds controlled by Agility SG herbicide

Broadleaf plantain	Field bindweed	Sowthistle (annual)*
Catchweed bedstraw	Mallow (little)	Tall waterhemp
Common dandelion	Nightshade (cutleaf, hairy, silverleafs)	Vetch* (common, hairy)
Common yarrow		

* See the Specific Weed Problems section of the Agility SG herbicide label for more information.

** For better results, use the highest labeled rate of Agility SG herbicide and include a tank-mix partner such as 2,4-D, MCPA, or bromoxynil (such as Buctril, Bison, Bronate or Bronate Advanced). Refer to the Tank Mixtures section of the Agility SG herbicide label.

For more information, contact your local FMC retailer or representative to learn more about Agility SG herbicide from FMC and visit us at FMCCrop.com.

Always read and follow label directions. FMC, TotalSol and Agility are trademarks of FMC Corporation or an affiliate. Bronate, Bronate Advanced and Buctril are trademarks or registered trademarks of Bayer. Bison is a trademark of Winfield Solutions, LLC. ©2017 FMC Corporation. All rights reserved. 17-FMC-0967 10/17

