



Topguard® Fungicide Specialty Crops

TOPGUARD®

FUNGICIDE SPECIALTY CROPS

Highly Systemic for Maximum Plant Protection.

As a rotational partner against powdery mildew during rapid vine growth, you would be hard pressed to make a better Group 3 fungicide selection than Topguard® Fungicide Specialty Crops. Topguard Fungicide Specialty Crops protects both crop quality and yields.

Topguard Fungicide Specialty Crops is the most systemic fungicide in its class, moving throughout the plant faster than other triazoles and offering full protection where other leading fungicides fail. The quick penetration and rapid movement to sites of established infection provide fast curative activity on powdery mildew. As the most residual of all triazoles, Topguard Fungicide Specialty Crops provides long lasting protection to prevent further infections.

Topguard Fungicide Specialty Crops is rainfast within two hours and can be tank mixed with most fungicides, insecticides and surfactants for increased crop protection. Topguard Fungicide Specialty Crops is an excellent choice as a foundational fungicide.



Application Guidelines

Maximum Rate per Acre: 10 fl. oz.

Retreatment Interval: 14-21 days

May be applied through drip irrigation

Pre-harvest Interval (PHI): 7 days

Maximum Applications per year: 6


Restricted –entry interval (REI): Re-entry interval for girdling or turning of grapes is 5 days. The REI for all other activities is 12 hrs

Diseases	Application Instructions
Powdery Mildew (<i>Ucinula necator</i>)	Apply Topguard Fungicide Specialty Crops as a foliar spray beginning at 6-10 shoots.
Black Rot (<i>Guignardia bidwellii</i>)	Apply preventatively or when conditions are favorable for disease development. Repeat as necessary if conditions are favorable for disease development.


Quick Facts

- The most systemic fungicide in its class, moving throughout the plant faster than other triazoles
- Confers both curative and preventative control of powdery mildew
- Longer residual protection
- Can be mixed with most fungicides, insecticides and surfactants
- May be applied through drip application

Percent Powdery Mildew Infected Clusters



Percent Powdery Mildew Infected Clusters



Always read and follow label directions. Topguard Fungicide Specialty Crops is not registered for sale or use in California. FMC, Fracture and Topguard are trademarks and Investing in farming's future is a service mark of FMC Corporation or an affiliate. Mettle is a trademark of Isagro USA, Inc.. Rally and Quintec are a registered trademarks of DOW Agro Sciences. Inspire Super is a registered trademark of Syngenta Corporation. ©2017 FMC Corporation. All rights reserved.