

Technical Bulletin

- Accolade™ is a pre or postemergence herbicide for field corn or soybean in the U.S.
- Contributes an additional mode of action in tank-mixtures providing broadleaf activity with flexibility in application timing.

Accolade Herbicide

- **Active Ingredient :** Flumetsulam
- **Site of Action :** Group 2
- **Formulation :** 80.0% WDG (water dispersible granule)

Accolade Benefits:

- Excellent crop safety with rotation flexibility.
- Flexible use across tillage types.
- Low use rate, ease of use in water dissolving packets.
- Provides additional activity on broadleaves including lambsquarters, common purslane, Russian thistle, prickly sida, morningglories, redroot and smooth pigweed.
- Fits well in pre or postemergence tank-mixtures with corn or soybean premixes to gain another mode-of-action.

Accolade Tank-Mix Programs

Fall Corn or Soybean:

Accolade 1 oz/a + Authority MTZ 10-12 oz/a + 2,4-D 16 oz/a + Roundup 22 oz/a - Brings additional activity on henbit, marestail, wild mustard, chickweed, and shepherds purse with rotation flexibility to corn or soybean.

Early Preplant (EPP) Burndown – Corn:

Accolade 1 oz/a + Anthem ATZ 32 oz/a + Roundup 22 oz/a + 2,4-D LV4 16 oz/a – Enhances activity on marestail, henbit, common lambsquarters, common sunflower, smooth and redroot pigweed, and ragweeds.

Preplant Incorporated (PPI) to Preemergence (PRE) – Corn Conventional Till:

Accolade 1 oz/a + Anthem ATZ 32 oz/a – Provides an additional mode of action with improved activity on ragweeds, common lambsquarters, and velvetleaf.

Planned Program – Corn Conventional Till:

Accolade 1 oz/a + Anthem 8 oz/a PRE fb Roundup 22 oz/a + Mesotrione 3 oz/a – 5 total modes-of-action for program. Excellent activity on a broad spectrum of grass and broadleaf weed species.

Fall Soybean:

Accolade 1 oz/a + 2,4-D 24 oz/a + Roundup 22 oz/a – provides additional chickweed, marestail, henbit, wild mustard and shepherd's purse activity.

Early Preplant Burndown – Soybeans:

Accolade 0.8 oz/a + Authority First 5 oz/a + 2,4-D LV4 16 oz + Roundup 22 oz/a – Increases activity on cocklebur, asiatic dayflower, marestail, jimsonweed, morningglories, wild mustard, ragweeds, sicklepod, smartweed, prickly sida, and velvetleaf.

30 Day EPP or PPI – PRE Conventional Till:

Accolade 0.8 oz/a + Authority First 5 oz/a – Provides additional broadleaf activity for enhanced residual control.

Planned Program – Soybean No Till:

Accolade 0.8 oz/a + Authority First 5 oz/a + Roundup 22 oz/a + 2,4-D 16 oz/a 7 Days Before Planting fb Anthem 5 oz/a + Roundup 22 oz/a at 3 trifoliates. Excellent program for season long weed control.

Planned Program – Soybean Conventional Till:

Accolade 0.8 oz/a + Authority First 5 oz/a PRE fb Anthem 5 oz/a + Roundup 22 oz/a at 3 trifoliates. 4 modes-of-action season long control.

Accolade Preemergence – Corn or Soybean

Soil Texture	Accolade WDG – Preemergence (oz/acre)	
	<3.0% Organic Matter	>3.0% Organic Matter
Coarse	0.8-0.89	0.89-1.0
Medium or Fine	0.89-1.0	1.14-1.33

Accolade WDG – Postemergence (oz/acre)

Corn	Soybean
0.5-0.9	0.12

Accolade Application Timing

POST: Accolade may be applied in the fall prior to planting corn or soybeans or 30 days before planting to V6 in corn and 50% flowering in soybean.

PREPLANT/PREEMERGE: Tank-mix with other herbicides to increase weed spectrum and improve residual control.

Accolade Herbicide – Adjuvants for Post Applications

- Adjuvant is required if not contained in tank-mix product (Roundup, glyphosate, Liberty etc.)
- Add Non-ionic surfactant at 0.25% v/v (1 qt/100 gal) or Crop Oil Concentrate at 1% v/v (1 gal/100 gal).

Accolade + Mesotrione Performance



Accolade 1 oz/a + Mesotrione 3 oz/a + Roundup Powermax 22 oz/a - Univ. of WI – 2013
20-DAT

Nontreated

Accolade Herbicide – Crop Rotation

Rotational Crop	Interval (Months)
Soybeans, corn (field, silage, seed)	0 months
Alfalfa, dry beans, lima beans, peas, peanuts, barley, oats, rye, snap beans, sweet potatoes, wheat	4 months
Rice	6 months
Seeding of cover crops, forage grasses, popcorn, tobacco	9 months
Grain sorghum, potatoes	12 months
Cotton, sunflower, sweet corn	18 months
Sugar beets, canola	26 months

Use Precautions:

- Do not apply in areas with soil pH of 7.8 or greater
- **Corn only:** If ALS chemistry was used the previous year, apply Accolade only if the previous rotation restriction is met or passed.
- Do not apply Accolade if Counter or Thimet are used at planting.
- Do not tank-mix Accolade with organophosphate containing insecticides.
- Do not graze or feed treated soybean forage, hay or straw to livestock.
- PHI: 85 before corn and soybean harvest, 45 days corn forage or silage.
- Do not apply more than 1.4 oz product or 0.07 lb active ingredient per growing season.