

EDITION® BROADSPEC

HERBICIDE



EDITION® BROADSPEC Herbicide — A selective postemergent for use in cereals

EDITION® BROADSPEC Herbicide is used for selective postemergence control of a broad spectrum of nearly 70 weeds such as mustards, buckwheat, curly dock, henbit and sunflowers. EDITION BROADSPEC Herbicide can be used either as a solo product on wheat, oats, barley and triticale or with glyphosate in a tank-mix for burndown before planting many crops including cotton, corn and soybeans.

EDITION BROADSPEC Herbicide is similar to Affinity® BroadSpec herbicide, offering excellent rotation flexibility and shorter preplant intervals.

Application at Preplant Timing

Crop	Days Before Planting
Barley, rice, triticale, wheat (including durum)	0
Soybeans	7
Cotton, field corn, grain sorghum	14
Other crops	45

NOTE: Refer to product label to determine rotational crop restrictions when tank-mixes are used. Where EDITION BROADSPEC Herbicide is used on light textured soils such as sands, loamy sands and sandy loams, extend time to planting by seven additional days. Where EDITION BROADSPEC Herbicide is used on soils with a pH of 7.9 or greater, extend the time to planting by an additional 7 days.

For Use On: Wheat (including durum), oats, barley, triticale and fallow

Formulation: WDG (water dispersible granule)

Packaging: 20 oz. containers, 8 per case

Mode of Action: ALS Inhibitor

Use Rates: 0.4 oz. – 1.0 oz. per acre depending on use site and target weeds

Signal Word: Caution

Weeds Controlled*

- Black mustard
- Common buckwheat
- Curly dock
- Henbit
- Sowthistle
- Sunflower

**See label for complete listing and additional weeds controlled with tank-mix partners.*

Application Timing

EDITION® BROADSPEC Herbicide has little to no soil activity; as such it only controls weeds that have germinated. Therefore the control of susceptible weeds is obtained when **EDITION BROADSPEC Herbicide** is applied early to the foliage of actively growing weeds that are less than four inches in width or height.



Rainfall immediately after treatment can wash the product from the target weeds resulting in less control. For best results, several hours of dry weather are needed to allow **EDITION BROADSPEC Herbicide** to be sufficiently absorbed by weed foliage. Please refer to product label for specific details on both application timing and use rates by crop.

Consult label for specific direction on spray additives, re-entry interval (REI) and personal protective equipment (PPE).

For more information about **EDITION BROADSPEC Herbicide**, contact your local crop protection dealer, visit **FMCcrop.com** or call **888-59-FMC-AG**.